



HIV/AIDS, STD & TB Prevention IDAHO

HIV/AIDS Epidemic

Idaho reported 572 cumulative AIDS cases to CDC as of December 2003.





Sexually Transmitted Diseases (STDs)

Syphilis


Primary and secondary (P&S) syphilis (the stages when syphilis is most infectious) remains a problem in the southern U.S. and some urban areas.

- Idaho ranked 22nd among the 50 states with 1.8 cases of P&S syphilis, per 100,000 persons.
- The number of congenital syphilis cases increased from 0 in 1995 to 3 in 2004.


Chlamydia and Gonorrhea

Chlamydial and gonorrheal infections in women are usually asymptomatic and often go undiagnosed. Untreated, these infections can lead to pelvic inflammatory disease (PID), which can cause tubal infertility, ectopic pregnancy, and chronic pelvic pain.

- Idaho ranked 43rd among the 50 states in chlamydial infections (203.8 per 100,000 persons) and 50th in the rate of gonorrhea infections (7.5 per 100,000 persons).
- Rates of chlamydia among Idaho women (316.5 cases per 100,000 females) were 3.5 times greater than those among Idaho men (90.1 cases per 100,000 males).



Tuberculosis



Although rates of tuberculosis (TB) infection in the U.S. have declined substantially since 1992, rates among foreign-born persons continued to increase. In 2003, Idaho reported

- ☐ The 47th highest rate of TB in the U.S.
- □ A total of 13 TB cases with 62% affecting Hispanics and 15% affecting American Indian/Native Americans. In all. about 46% were among foreign-born persons.

Program Initiatives Supported by CDC

HIV/AIDS and Sexually Transmitted Diseases (STDs)

The Idaho Department of Health and Welfare's STD/AIDS program works with district health departments and community-based organizations to provide HIV prevention interventions and programs. HIV prevention intervention categories include: Health Education and Risk Reduction group-and individual-level interventions, Prevention Case Management, and Outreach.

Tuberculosis (TB)

As is the case with several other states reporting few TB cases, changing demographics is playing an important role in the profile of persons with TB in Idaho. Public health districts are adapting to an

National Center for HIV, STDs & TB Prevention Funding to Idaho, 2005 (US\$)	
HIV/AIDS	\$911,850
STDs	\$432,596
ТВ	\$143,781

increasing number of foreign-born TB patients by hiring staff with the language skills and cultural sensitivity needed to successfully engage patients. The Central Health District has increased its bicultural/bilingual workforce to 20% of all personnel. While only 5% of Idaho residents were born outside the United States, one-third of TB cases reported in the state in 1998-2001 were among foreign-born persons.

Health Officials

Idaho Health Official: Richard H. Schultz

Email: schultzr@idhw.state.id.us Phone: (208) 334-5945

AIDS Director:

Anne Williamson STD/AIDS Program Manager Bureau of Clinical and Preventive Services Idaho Department of Health and Welfare

> Boise. ID 83720 (208) 334-6527

PO Box 83720

willia25@idhw.state.id.us

STD Director:

Anne Williamson STD/AIDS Program Manager Bureau of Clinical and Preventive Services Idaho Department of Health and Welfare P.O. Box 83720

Boise, ID 83720 (208) 334-6526

willia25@idhw.state.id.us

TB Controller:

Christine Hahn State Epidemiologist Idaho Department of Health and Welfare P.O. Box 83720 Boise, ID 83702-0003 (208) 334-5939 hahnc@idhw.state.id.us